







Installed on over 8 million homes* from coast to coast,

James Hardie® fiber cement siding products are designed to resist the
most extreme conditions while romancing the senses. Enjoy the warm,
natural character of wood with unprecedented peace of mind.

It's easy to see what makes James Hardie the market leader.

UNIQUE FORMULATION

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

FINISHING TECHNOLOGY

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

COMPLETE EXTERIOR™

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

CONTENTS

4	HardieZone® System
6	Unique Formulation
8	Finishing Technology
10	James Hardie Complete Exterior
12	HardiePlank® Lap Siding
14	HardiePanel® Vertical Siding
16	HardieShingle® Siding
18	HardieTrim® Boards
20	HardieSoffit® Panels
22	Color Inspiration
24	Color Selection
26	HardieWrap® Weather Barrier
27	Finishing Touches
28	The James Hardie Difference
30	Warranty and Endorsements

^{*}Estimate based on total James Hardie siding sales through 2016 and average housing unit size.

HardieZone® System

Only James Hardie fiber cement products are Engineered for Climate®. In the northern U.S. and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

NO MATTER WHAT NATURE BRINGS







TOUGHER THAN THE ELEMENTS



Stands up to storms and harsh weather



Water resistant to protect against swelling, warping and cracking; also resists mold damage



Won't be eaten by animals or insects



Fire resistant



Helps reduce time and money spent on maintenance



HardieTrim[®] 5/4 x 3.5 in. Smooth Navajo Beige

Unique Formulation HZ10[®] Substrate

Not all fiber cement is the same. James Hardie HZ10 products contain the highest quality raw materials. Our unique formulation, combined with innovative product design and manufacturing processes, create a substrate that is specifically engineered to reduce moisture, cracking, shrinking and swelling for increased durability and workability.

PROPRIETARY ENHANCEMENTS CREATE **DURABLE JAMES HARDIE® SIDING**



Perfect balance of strength and workability

Our balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.



Enhanced moisture resistance for unmatched durability


Patented and proprietary additives are chemically bonded within the HZ10 substrate matrix to provide durable moisture resistance.



Increased dimensional stability

Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that helps protect against shrinking and splitting.







UNMATCHED INVESTMENT IN MANUFACTURING SCALE AND PRODUCT INNOVATION

- Largest manufacturer of fiber cement in North America
- 5x more capacity than our largest competitor
- More than 100 process and product quality checks
- 100+ scientists and engineers provide dedicated resources for continuous innovation in manufacturing and product development
- More U.S. fiber cement patents than any competitor

YOUR RETURNS ON OUR INVESTMENT

- Superior siding and trim performance for beauty that lasts
- Consistency in appearance from board to board
- Natural-looking profiles for authentic character

Finishing Technology

Gold Primer

A quality primer is the first step to ensuring that the paint color you select beautifully expresses a home's true character now — and for years to come. Our distinctive gold primer is climate-tested and engineered for use with paint on James Hardie fiber cement siding products. It helps to provide consistent, long-lasting paint adhesion, even in the most demanding conditions.



ColorPlus® Technology

Our advanced ColorPlus® Technology finishes deliver the ultimate in aesthetics and performance. Our products aren't simply painted at the factory. Multiple coats of color are baked onto the board, giving homes a durable, rich, consistent color no field-applied house paint can match.



- Superior finish adhesion
- Superior color retention
- Superior UV resistance
- Year-round installation









HardiePlank®

Sleek and strong, HardiePlank® lap siding is not just our best-selling product – it's the most popular brand of siding in America.

With a full spectrum of colors and textures, homeowners can enjoy protection from the elements and the versatility to make their dream home a reality. From Victorians to Colonials, HardiePlank lap siding sets the standard in exterior cladding.



SELECT CEDARMILL°*

Woodstock Brown



SM00TH*

Countrylane Red



Length 12 ft. planks Width 5.25 in. 6.25 in. 7.25 in. 8.25 in. 9.25 in. 12 in. Exposure 4 in. 5 in. 6 in. 7 in. 8 in. 10.75 in. ColorPlus 324 280 252 210 Pcs./Pallet Prime 360 308 252 230 190 152 Pcs./Pallet Pcs./Sq. 25.0 20.0 16.7 14.3 12.5 9.3

CUSTOM BEADED CEDARMILL®

Light Mist



CUSTOM BEADED SMOOTH

Heathered Moss



Thickness 5/16 in.

Length 12 ft. planks
Width 8.25 in.

Exposure 7 in.

ColorPlus
Pcs./Pallet 210

Prime
Pcs./Pallet 240

Pcs./Sq. 14.3

Thickness 5/16 in.

CUSTOM COLONIAL ROUGHSAWN®

Mountain Sage



CUSTOM COLONIAL SMOOTH®

Timber Bark



Thickness 5/16 in.

Length 12 ft. planks
Width 8 in.

Exposure 6.75 in.

ColorPlus
Pcs./Pallet 240


Pcs./Sq. 14.9

^{*6.25} in. and 8.25 in. also available in coastal colors. 9.25 in. and 12 in. only available primed.

HardiePanel®

HardiePanel® vertical siding delivers style and substance. When combined with HardieTrim® boards, it achieves the rustic board-and-batten look that defines cottage charm. The covered seams contribute to a well-insulated home.

Its crisp, clean lines make HardiePanel vertical siding a smart choice for strong, contemporary designs.





SELECT CEDARMILL[©]

Navajo Beige

Thickness 5/16 in.

 Size
 4 ft. x 8 ft.
 4 ft. x 9 ft.* 4 ft. x 10 ft.

 Pcs./Pallet
 50
 50
 50

 Pcs./Sq.
 3.2
 2.8
 2.5



SMOOTH

Evening Blue

Thickness 5/16 in.

 Size
 4 ft. x 8 ft.
 4 ft. x 9 ft.*
 4 ft. x 10 ft.

 Pcs./Pallet
 50
 50
 50

 Pcs./Sq.
 3.2
 2.8
 2.5



STUCCO

Navajo Beige

Thickness 5/16 in.

Pcs./Sq. 3.2 2.8 2.5



SIERRA 8

Not available with ColorPlus Technology

Thickness 5/16 in.

 Size
 4 ft. x 8 ft.
 4 ft. x 9 ft.*
 4 ft. x 10 ft.

 Pcs./Pallet
 50
 50
 50

 Pcs./Sq.
 3.2
 2.8
 2.5

^{*4} ft. x 9 ft. HardiePanel vertical siding only available primed.

HardieShingle®

Restore the look of a grand Cape Cod or add distinction to a handsome bungalow. HardieShingle® siding embodies the enchanting look of cedar shingles with lower maintenance.

Better than the real thing, HardieShingle siding resists rotting, curling, warping and splitting.





STAGGERED EDGE PANEL

Sandstone Beige

Thickness 1/4 in.

Length 48 in.

Height 15.25 in.

Exp. 6 in.

Pcs./Pallet 100

Sq./Pallet 2

Pcs./Sq. 50



STRAIGHT EDGE PANEL

Iron Gray

Thickness 1/4 in.
Length 48 in.
Height 15.25 in.
Exp. 7 in.
Pcs./Pallet 86
Sq./Pallet 2
Pcs./Sq. 43



INDIVIDUAL SHINGLES

Monterey Taupe

Thickness 1/4 in.

Length 4.2 in. 5.5 in. 6.75 in. 7.25 in. 10 in.

 Height
 15.25 in.

 Exp.
 7 in.

 Pcs./Pallet
 630

 Sq./Pallet
 2

 Pcs./Sq.
 315



HALF ROUNDS

Not available with ColorPlus Technology

 Thickness
 1/4 in.

 Length
 48 in.

 Height
 15.25 in.

 Exp.
 7 in.

 Pcs./Pallet
 86

 Sq./Pallet
 2

 Pcs./Sq.
 43

HardieTrim®

Form meets function at every angle with HardieTrim® boards. With an authentic look, HardieTrim boards provide design flexibility for columns, friezes, doors, windows and other accent areas.

Better than wood, it complements your long-lasting, lower maintenance James Hardie siding – adding punctuation to your design statement.



HARDIETRIM® BOARDS

4/4 RUSTIC GRAIN®

Not available with ColorPlus Technology



4/4 SM00TH

Autumn Tan



Thickness .75 in.

Length 12 ft. boards

3.5 in. 5.5 in. 7.25 in. 9.25 in. 11.25 in. Width

ColorPlus

Pcs./Pallet 312 208 156 104 104

Prime

Pcs./Pallet 322 184 138 115 92

5/4 RUSTIC GRAIN®

Not available with ColorPlus Technology



5/4 SM00TH

Autumn Tan



Thickness 1 in.

Length 12 ft. boards

Width 3.5 in. 4.5 in.* 5.5 in. 7.25 in. 9.25 in. 11.25 in.

ColorPlus

80 Pcs./Pallet 240 200 160 120 80

Prime

Pcs./Pallet 238 200 136 102 85 68

CROWN MOULDING

Arctic White



Thickness .75 in. Length 12 ft. boards Width 3.25 in. 5.25 in. Pcs./Pallet 50 48

HARDIETRIM® BATTEN BOARDS

RUSTIC GRAIN®

Autumn Tan



SMOOTH

Autumn Tan



Thickness .75 in. 12 ft. boards Length

Width 2.5 in. Pcs./Pallet 437

^{*4.5} in. only available in Smooth

HardieSoffit®

A home is only as strong as its weakest point. HardieSoffit® panels reinforce your work by protecting the vulnerable gap between eaves and exterior walls.

Available in vented, non-vented and a range of pre-cut sizes, these panels complete your design and protect it from moisture and pests.


VENTILATION BENEFITS


Using vented soffit improves ventilation in the attic space and reduces the chance of water vapor condensation that can lead to issues such as mold and mildew growth, stained ceilings and damage to the framing of the house.

In warm climates, HardieSoffit panels allow hot, humid air to escape, which not only helps prevent condensation in the attic, but can also help reduce air conditioning costs.

In cool climates, HardieSoffit panels help prevent condensation from forming on the interior side of the roof sheathing and reduce the chances of roof-damaging ice dams.







Using the proper amount of vented HardieSoffit panels is crucial to a building's ventilation performance. James Hardie has taken the guess work out of soffit ventilation by providing the table below illustrating the minimum amount of vented HardieSoffit panels recommended for your attic space.***

VENTED SMOOTH & CEDARMILL®

Sail Cloth

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in
ColorPlus Pcs./Pallet	216	156	108
Prime Pcs./Pallet	200	150	100





NON-VENTED SMOOTH & CEDARMILL®

Sail Cloth

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50



BEADED PORCH PANEL**

Arctic White

Thickness 1/4 in. 8 ft. Length Width 48 in. Pcs./Pallet 50

ATTIC SQ. FT.	LINEAR FT. OF VENTED SOFFIT
200	10
300	14
400	19
500	24
600	29
700	34
800	38
900	43
1000	48
1100	53
1200	58
1300	62
1400	67
1500	72
1600	77
1700	82
1800	86
1900	91
2000	96
2100	101
2200	106
2300	110
2400	115
2500	120
2600	125
2700	130
2800	134
2900	139
3000	144
3100	149

^{*}These 48 in. x 8 ft. panels only available primed.

**Beaded Porch Panel is available in all 10 standard soffit colors, as well as Cool Breeze.

^{***}Linear Feet of Vented Soffit calculation is based on 2012 International Residential Code (IRC) Section 806.2, Exception 2, with a 50% upper attic and 50% lower attic split of required ventilation, using soffit with a net free ventilation of 5 square inches per linear foot. This Exception is also approved in 2015 IRC Section 806.2. Always consult a building design professional to confirm attic ventilation meets local building code requirements.



COOL TONES Evening Blue Boothbay Blue

COMPLEMENTARY Heathered Moss Arctic White Sage



Color Inspiration

Use deeper body colors for a warm, welcoming feeling. Make homes appear larger with soft contrasts between siding and trim. The right color combinations leave lasting impressions. Our color specialists designed the rich ColorPlus finish collection to help you express what's special about every home you build.

Express the true nature of a home's character with ColorPlus® Technology

PLANK, PANEL, BATTEN AND SHINGLE COLORS



Color Selection

TRIM AND SOFFIT COLORS



Explore our color palettes and differentiate your homes with stunning curb appeal. These distinctive tones are drawn from natural environments, complementing your design with the look of America's idyllic neighborhoods.

PLANK COASTAL COLORS*




 $^{^{\}circ}\text{Coastal}$ colors are available exclusively in Smooth and Select Cedarmill in 6.25 in. and 8.25 in widths only.

HardieWrap[®]

No exterior cladding can prevent 100% of water intrusion. Your homes should have an additional line of defense. HardieWrap® weather barrier provides a superior balance of water resistance and breathability, keeping the area within the wall drier. This helps prevent moisture accumulation that may lead to mold and mildew growth.

INSTALLATION ADVANTAGES

- Thicker, more durable material for easier, quicker installation
- Superior tear resistance helps prevent water infiltration
- Can be installed with staples in place of cap nails for cost savings
- Provides a higher level of performance, no matter what type of cladding you specify





WEATHER BARRIER

Thickness 11 mil. Thickness 60 mil. Length 100 ft. 100 ft. 150 ft. 150 ft. Length 75 ft. 75 ft. Width 3 ft. 9 ft. 9 ft. 10 ft. Width 6 in. 9 in.

FLEX FLASHING

SEAM TAPE

PRO-FLASHING

Thickness 20 mil. **Thickness** 3 mil. 75 ft. 75 ft. 75 ft. 165 ft. Length Length Width 4 in. 6 in. 9 in. Width 1-7/8 in.



To learn more about our weather barrier's advantages, visit **jameshardiepros.com**

Finishing Touches

ColorPlus Technology Accessories

TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our Touch-up Kits offer resistance to aging, color change and chalking. Included in the kits, Touch-up Pens conceal nailheads and very small nicks and scratches.



COLOR-MATCHED CAULK

OSI® QUAD® MAX sealant offers a high performance sealant solution to color match James Hardie ColorPlus products.



Trim Accessories

FLAT TABS

Reduce nail holes and improve the aesthetic of trim applications around windows, doors and band boards.

CORNER TABS

Use corner tabs to reduce the appearance of nail holes that would detract from the finished look of corner trim installations.









See the James Hardie Difference



James Hardie invented fiber cement.

Over 8 million homes* later, we continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our employees, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.


*Estimate based on total James Hardie siding sales through 2016 and average housing unit size.

Warranty

Protect your homes with North America's #1 brand of siding backed by exceptional warranties. Unlike other brands, James Hardie doesn't prorate our siding and trim warranty coverage. We stand behind our siding 100% for 30 years and trim for 15 years.

ColorPlus Technology finishes come with a 15-year limited warranty.

James Hardie Non-Prorated Siding Substrate Warranty Coverage



Endorsements – a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.*



Featured on the **DIY Network's Blog Cabin** since 2012



Chosen by builders as a **Brand Leader** in **Builder Magazine** since 2009



HardiePlank lap siding is backed by the **Good Housekeeping Seal**

^{*}Endorsements accurate as of 2017





1.888.542.7343 | jameshardiepros.com

